

SEPTEMBER 11, 2024

# Trauma Attachment

With Unaccompanied Refugee  
Minor (URM) Clients

---

**switchboard**  
connecting resettlement experts



## Slide 1

---

**RO(0** I don't believe the announcement for this webinar has gone out yet. If it's not too late to edit the title, I suggest that perhaps this could more clearly represent the content of the webinar- a minor change like adding 'and' ("Trauma and Attachment with Unaccompanied Refugee Minors") could help.

A bigger change could really summarize the content, but perhaps be too long- for example, "Understanding Impact of Trauma on Attachment: Exploring Trauma-Informed Strategies for working with URM."

Ryan, Olivia (ACF), 2024-09-03T14:38:46.024

# Today's Speakers



**Claire Hopkins**

Training Officer, Child  
and Family Services



**Jenna Christie-  
Tabron**

Senior Training Officer





# Learning Objectives

By the end of this session, you will be able to:

1

## DEFINE

trauma and explain its impact on attachment and the cognitive, emotional, and social development of URMs

2

## RECOGNIZE

the behavioral presentations of the four types of attachment

3

## APPLY

practical strategies and interventions to alleviate attachment-related challenges URMs experience

### Slide 3

---

**P(0)** About the scope of the presentation--is limited to classical human development perspective. Insights from brain science, neuroscientific research on traumatized individuals. Namely, Daniel Siegel, Bruce Perry, or Bessel Van der Kolk to name few. Their research commonly shed lights on how exposure to the abuse and violence and trauma misshapes their brain with a hyperactive alarm system (Amygdala) and interferes with the brain parts that involve focusing, flexibility, or being able to stay calm to regulate their emotions. I know we may not have time to ask to incorporate the this brain science angle. Just throwing out maybe for next round...

Park, Esther (ACF), 2024-08-26T15:08:54.649

**RO(1)** I'm echoing Esther's notes above- I think this webinar effectively describes behaviors resulting from ACE. It would be interesting to link those to what we know about the neurological impact of trauma on the brain. This could also be a whole other training on its own if the topic is of broader interest.

Ryan, Olivia (ACF), 2024-09-03T15:46:13.598



1

# Trauma and Its Impact on Attachment

and Development of URM's

**slido**



**How might you define trauma?**

① Start presenting to display the poll results on this slide.

# What Is Trauma?



- **Trauma is not the event; it is the effects of the experience of the event**
  - May be deeply disturbing, frightening, or life-threatening
  - May be outside of what would be considered “ordinary” or “normal”
  - May result in feelings of being overwhelmed, helpless, or at someone else’s control or mercy
  - May have negative short-term or long-term physical, emotional, psychological, and/or spiritual impacts
- **What may be traumatic to one person may not be to another**





# The Three E's of Trauma



## Traumatic Event(s)

- Actual or perceived threat of bodily harm to the child **or caregiver(s)**
- Remember that children are reliant on their caregivers for safety



## Experience of Event(s)

- What may be traumatic to one child may not be to another
- Consider age(s) at which the event(s) happened. Events may be experienced differently by a 3-year-old than a 13-year-old



## Effects of the Event(s)

- Emotional, physical, and behavioral reactions that occur after exposure to traumatic events
- Also known as “traumatic stress”

**slido**



**What traumatic stress reactions do you see in your work with URM's?**

① Start presenting to display the poll results on this slide.

# Infancy and Early Childhood



Typical Development, 0–5	Traumatic Stress Reactions
<p data-bbox="617 558 772 594"><b>INFANCY</b></p> <ul data-bbox="403 618 1010 753" style="list-style-type: none"><li data-bbox="403 618 1010 708">▪ Ability to regulate behavior, emotion, physical functioning</li><li data-bbox="403 709 1010 753">▪ Attachment continues to develop</li></ul>	<p data-bbox="1289 558 1520 594"><b>BEHAVIORAL</b></p> <ul data-bbox="1060 618 1696 922" style="list-style-type: none"><li data-bbox="1060 618 1696 654">▪ Increased fussiness or crying</li><li data-bbox="1060 656 1696 691">▪ Acting out traumatic events in play</li><li data-bbox="1060 693 1696 729">▪ Difficulty separating from caregivers</li><li data-bbox="1060 730 1696 834">▪ Regressive behaviors (returning to younger behaviors)</li><li data-bbox="1060 836 1696 922">▪ Talking less or having difficulty saying what's bothering them</li></ul>
<p data-bbox="522 945 865 980"><b>EARLY CHILDHOOD</b></p> <ul data-bbox="350 1005 1016 1240" style="list-style-type: none"><li data-bbox="350 1005 1016 1040">▪ Improving self-regulation</li><li data-bbox="350 1042 1016 1078">▪ Ability to hide emotions</li><li data-bbox="350 1079 1016 1115">▪ Capacity for concrete/literal thinking</li><li data-bbox="350 1117 1016 1240">▪ Forming a sense of security and safety</li></ul>	<p data-bbox="1297 945 1512 980"><b>EMOTIONAL</b></p> <ul data-bbox="1060 1005 1743 1279" style="list-style-type: none"><li data-bbox="1060 1005 1743 1040">▪ Generalized fearfulness</li><li data-bbox="1060 1042 1743 1078">▪ Helplessness and passivity</li><li data-bbox="1060 1079 1743 1183">▪ Confusion about the event(s) and not understanding the permanency of death</li><li data-bbox="1060 1185 1743 1279">▪ Nightmares and other sleep issues</li></ul>

## Slide 9

---

**RO(0)** While this is useful content to understand- If possible, we suggest moving through slide 9&10 quickly so there is more time to focus and discuss the adolescence content on slides 11&12 because the vast majority of URM enter the program during this time.

Ryan, Olivia (ACF), 2024-09-03T15:49:14.201

# Middle Childhood



<b>Typical Development, 6–11</b>	<b>Traumatic Stress Reactions</b>
<ul style="list-style-type: none"><li>▪ Increased ability to regulate behavior and emotion</li><li>▪ Reflection on consequences before acting</li><li>▪ Awareness of consequences of expressing emotion</li><li>▪ Importance of peer relationships</li></ul>	<p style="text-align: center;"><b>BEHAVIORAL</b></p> <ul style="list-style-type: none"><li>▪ Repetitious play and retelling</li><li>▪ Unusual irritability or aggressive behavior</li><li>▪ Somatic complaints (headaches, stomachaches, etc.)</li><li>▪ Social withdrawal and school avoidance</li></ul>
	<p style="text-align: center;"><b>EMOTIONAL</b></p> <ul style="list-style-type: none"><li>▪ Feelings of responsibility and guilt</li><li>▪ Concerns about safety and the recurrence of the event(s)</li><li>▪ Fearfulness and hyper-awareness of caregivers' anxieties</li><li>▪ Nightmares or sleep issues</li></ul>

# Adolescence



Typical Development, 12–18	Traumatic Stress Reactions
<ul style="list-style-type: none"><li>▪ Increased independence</li><li>▪ Development of more intimate relationships with peers</li><li>▪ More self-awareness and self-reflection than in younger children</li></ul>	<p style="text-align: center;"><b>BEHAVIORAL</b></p> <ul style="list-style-type: none"><li>▪ Acting out and increase in risky behaviors</li><li>▪ Social withdrawal or excessive participation in activities as avoidance</li><li>▪ Decline in grades and school performance</li><li>▪ Reactiveness/reactivity to reminders of traumatic event(s)</li></ul>
	<p style="text-align: center;"><b>EMOTIONAL</b></p> <ul style="list-style-type: none"><li>▪ Depression, self-harming behaviors, or thoughts of suicide</li><li>▪ Anxiety, chronic worry and fearfulness</li><li>▪ Nightmares and sleep disturbance</li><li>▪ Shame and guilt</li><li>▪ Self-consciousness about being “abnormal”</li></ul>

# Adolescence



## Traumatic Stress Reactions

### COGNITIVE

- Impaired memory and attention that hinders academics and intellectual development
- Chronic activation of the lizard brain
- Challenges with learning and coping in education environments

### SOCIAL

- Difficulties in forming meaningful relationships due to challenge with trusting others
- Greater risk of withdrawing from social interactions increases feelings of loneliness and detachment

### HEALTH AND CRIMINAL JUSTICE

- May not show distress in situations where it would be expected
- Challenges with seeking or accepting comfort within health care settings
- Increased risk of involvement with justice system leading to difficulties trusting professionals
- Constantly “tests” relationships

### ATTACHMENT

- Disruption of the natural process to form secure attachment bonds
- Difficulties establishing trust and emotional connections with foster parents and staff
- Inconsistent caregiving complicates ability to create healthy attachment patterns



2

# **Behavioral Representations**

of the Four Attachment Styles




# Attachment Theory



- The emotional bond between infant and caregiver that begins to develop during the first year of life to establish a sense of security and safety
- Depends, in part, on caregiver's ability to recognize and respond to infant's needs during times of distress
- Children may express their attachment-related upset in different ways (reactive, withdrawn, mixed, etc.)



# Types of Attachment



# Anxious Attachment



- Exhibits clingy behavior and a constant **need for reassurance** while **fearing abandonment** and **rejection**
- Fear of being **abandoned** leads to **anxiety, insecurities, and inconsistent boundaries** in relationships




# Avoidant Attachment



- Maintains **emotional distance and rigid boundaries** with others and **avoids dependency** by **relying on themselves**
- Has difficulties with **expressing emotions** and **appears detached**



# Disorganized Attachment



- Displays **erratic** and **unpredictable attachment behavior**
- Exhibits **chaotic boundaries**
- Displays signs of **confusion** and **fear**

# Secure Attachment



- Feels **comfortable** and **trusting** in relationships
- Seeks **support** and **comfort** from caregivers
- Demonstrates **effective communication skills** and **emotional balance**
- Navigates social interactions successfully and has **healthy boundaries**

# Attachment-Related Behaviors of URM



## ANXIOUS


Challenges with transitions (refugee camps, shelters, foster homes).

Clinging to caseworkers or teachers.

## AVOIDANT

Keeps distance with foster parents and staff.

Reluctant to participate in therapy or process their trauma.



## DISORGANIZED

Difficulties with trusting teachers or counselors due to authority experiences.

Challenges with adapting to stable, structured environments and following rules.

## SECURE

Forms healthy relationships with foster parents.

Engages in learning and adapts to new community, sharing their culture.

## Slide 20

---

**RO(0** Something that may be of interest to discuss here could be the additional layer of "typical adolescence" impacting behaviors as well- in line with the note on the next slide about not over-labeling behaviors as attachment issues.

Ryan, Olivia (ACF), 2024-09-03T14:58:22.996




# Special Considerations for Adjustment of URM

- Recognize late arrival age for most URM
- Adjust to new caregivers among many changes
- Distinguish attachment-related behaviors from normal behaviors
- Avoid over-labeling normal behaviors as attachment-related
- Understand youth's conflict about "replacing" parents with new relationships



# slido



**Which attachment style have you seen most often in your work with URM's?**

① Start presenting to display the poll results on this slide.

## Case Scenario: Maria

Maria, a 12-year-old from Honduras, has been in foster care for four months. She was separated from her mother during their journey to the United States and doesn't know where her mother is now.

Maria has been placed with a foster family. She is very affectionate and frequently seeks reassurance from her foster parents. She often asks if they will "keep her" or if she'll be moved to another home.

When her foster mother leaves the house, even for short errands, Maria clings to her and asks, "Are you coming back? What if something happens to you?" Sometimes Maria cries or calls her foster mom repeatedly until she returns.

**B(0)** We are placing many youth who are 16, 17 and close to aging out. Some providers experience challenges with youth and non-compliance, substance use, running away, and in some instances past criminal involvement. Interacting with peers who may not be a good influence is a real concern too. Should a case example on this be presented and strategies for dealing with big behaviors (lying, raging, stealing)?

<https://www.cetc.org.au/lying-as-a-trauma-based-behaviour/>

Bishop, Lindsey (ACF), 2024-08-26T15:43:47.122

**WH(1)** Echo of Lindsay here--both case scenarios are for young youth (12 and 14) but most youth enter URM at 16/17 and stay in care into early adulthood. It would better to use scenarios that are representative of the pop served.

Wasik, Heather (ACF), 2024-08-28T14:58:53.448

slido



Which attachment style does Maria's behavior most closely reflect?

① Start presenting to display the poll results on this slide.

## Case Scenario: Imran

Imran, a 14-year-old refugee from Syria, has been in foster care for the past six months. He was separated from his family during the journey to the host country and has not had any contact with them since. Imran has been placed with a foster family that has two younger children, aged 8 and 10.

Imran tends to keep to himself, often retreating to his room and avoiding family activities. He becomes visibly uncomfortable when his foster parents try to discuss his past or offer emotional support.

Additionally, when asked to participate in household tasks or family decisions, Imran either refuses or gives minimal responses like, “Whatever,” or “I don’t care.” Finally, Imran’s foster parents notice that he rarely seeks comfort when upset and instead prefers to handle things on his own. For example, when his foster father once tried to talk to him about his past, offering to listen if Imran wanted to share, Imran stiffened and said, “I don’t want to talk about it,” before abruptly leaving the room.

**M(0** We don't have any URMs from Syria. I recommend the COO be changed so it's representative of the URM populations.

Mullooly, Anne (ACF), 2024-08-26T16:05:15.358

slido



Which attachment style does Imran's behavior most closely reflect?

① Start presenting to display the poll results on this slide.





3

# **Practical Strategies and Interventions**


to Alleviate Attachment-Related Challenges for URM

# Strategies and Interventions



**Trauma-Informed  
Care Approaches**

**Supportive and  
Empowering  
Practices**



**Community and  
Peer Support**

**JCO** In our 1:1 let's explore some more supportive practices

Jenna Christie-Tabron, 2024-07-30T02:27:18.642

# Trauma-Informed Care Approach



- Considers the impact of trauma on the **physical, emotional, and spiritual** aspects of an individual
- Recognizes that signs and symptoms of trauma can manifest themselves in **behavior, relationships, family dynamics, and community**
- Builds positive, trusting relationships that are **restorative** and **corrective**
- Supports **holistic** view of clients
- Seeks to **minimize possible trauma triggers**



# The Six Principles of Trauma-Informed Care



①

**Safety**



②

**Trustworthiness  
& Transparency**



③

**Peer Support**



④

**Collaboration &  
Mutuality**



⑤

**Empowerment,  
Voice, & Choice**



⑥

**Cultural,  
Historical, &  
Gender Issues**



*Considerations for gender, culture, history...*

# Supportive Practices for Foster Parents and Staff



- Build **resilience** and **post-traumatic growth** by countering harmful effects of trauma with positive experiences
- Have **consistent** and **predictable** interactions with URMs for them to develop a sense of security and stability
- Provide training on **attachment theory** and effective practices for foster parents and staff to enhance their ability to support URMs



# Empowering Practices for Foster Parents and Staff



- Build trust and rapport
- Be honest, realistic, patient, consistent, and transparent
- Give information
- Promote agency by offering choices and model responsive caregiving through warm and sensitive responses
- Obtain consent
- Be culturally sensitive and mindful of the environment.  
*Is it trauma-informed (special layout, soft lighting, minimized loud sounds, etc.)?*



# Community and Peer Support



- **Offer opportunities** for youth to feel **empowered** to choose and participate in activities and peer groups they are interested in
- Use **cultural humility** and **inclusive practices** to ensure URM's feel **respected** and **valued**





**slido**



**Recall Maria. Which strategies or interventions might you incorporate into your service delivery to alleviate attachment-related challenges for her?**

① Start presenting to display the poll results on this slide.

**slido**



**Recall Imran. Which strategies or interventions might you incorporate into your service delivery to alleviate attachment-related challenges for him?**

① Start presenting to display the poll results on this slide.



**Questions?**

Type your question in the **Q&A**

# Learning Objectives



Now you are able to:

1

## DEFINE

trauma and explain its impact on attachment and the cognitive, emotional, and social development of URMs

2

## RECOGNIZE

the behavioral representations of the four types of attachment

3

## APPLY

practical strategies and interventions to alleviate attachment-related challenges URMs experience



# Help us help you!

Scan the QR code or click the link in the chat to access our feedback survey!

- Six questions
- 60 seconds
- Helps us improve future training and technical assistance



# Recommended Resources



## Switchboard

- Guide: [Preventing Crises and De-escalating Difficult Situations with Newcomer Clients](#) (2023)
- Webinar: [Psychological First Aid \(PFA\) to Support Clients Affected by the Crisis in Afghanistan](#) (2021)
- Evidence Summary: [What Works to Improve Mental Health of Refugee Children and Adults?](#) (2022)
- Guide: [Trauma-Informed Care: Movement Towards Practice](#) (2020)

## Substance Abuse and Mental Health Services Administration (SAMHSA)

- Guide: [SAMHSA's Concept of Trauma and Guidance for a Trauma-Informed Approach](#) (2014)

## International Centre for Missing and Exploited Children (ICMEC)

- Guide: [Ten Tips to a Rights-Based, Person-Centered Approach When Speaking with Clients](#) (n.d.)

# Recommended Resources (cont.)



## National Child Traumatic Stress Network (NCTSN)

- Tip Sheet: [Being Culturally and Trauma-Informed While Assisting Displaced Afghan Families](#) (2022)
- Webinar Series: [Trauma-Informed Care: Understanding and Addressing the Needs of Unaccompanied Children](#) (2019)
- Guide: [Psychological First Aid for Displaced Children and Families](#) (2021)
- Guide: [Psychological First Aid for Unaccompanied Children](#) (2021)
- eLearning: [The 12 Core Concepts for Understanding Traumatic Stress in Children and Families](#) (2019)
- Video: [The Impact of Interpersonal Trauma in Early Childhood and Ways We Can All Help](#) (2019)

## Center for Adjustment, Resilience & Recovery (CARRE)

- Webinar: [Attachment: Understanding the Impact of Early Childhood Trauma for Refugees and Immigrant Children](#) (2023)

## National Library of Medicine

- Book Chapter: [Children's Attachment: Attachment in Children and Young People Who Are Adopted from Care, in Care or at High Risk of Going into Care](#) (2016)

## Oregon Post Adoption Resource Center

- Infographic: [Three Realms of Adverse Childhood Experiences \(ACEs\)](#)

**RO(0** Love the additional resource provided

Ryan, Olivia (ACF), 2024-08-29T15:23:06.169





# Stay Connected



**Switchboard@Rescue.org**



**@SwitchboardTA**



**www.SwitchboardTA.org**



**@SwitchboardTA**

The IRC received competitive funding through the U.S. Department of Health and Human Services, Administration for Children and Families, Grant #90RB0052 and Grant #90RB0053. The project is 100% financed by federal funds. The contents of this document are solely the responsibility of the authors and do not necessarily represent the official views of the U.S. Department of Health and Human Services, Administration for Children and Families.

